

PowMio LAB

Richard Hoepken, 13.03.2025

PowMio

# Elastic Stack

Software quality assurance with  
modern log management

© PowMio GmbH



Software is much more than code.






# Content

- The problem - Chaotic log data madness
- The solution - Structured log data
- The elastic stack - Gather, structure, analyse
- Alternatives - Grafana stack and more
- Conclusion - Use Cases and Summary

# The problem

# The problem




Why do i need to access a different log storage for every single microservice?



Source: [https://pxhere.com/de/photo/1638940?utm\\_content=shareClip&utm\\_medium=referral&utm\\_source=pxhere](https://pxhere.com/de/photo/1638940?utm_content=shareClip&utm_medium=referral&utm_source=pxhere)


# Problem example



- Developers have **no information** about
  - Location where error was thrown
  - Events that are related to the error
- Developers need to **check every Microservice log file** of every Docker container to find the error
- Developers need to **manually reconstruct** to the error related logs

# The solution

# The solution principle



Source: [https://pxhere.com/de/photo/1639058?utm\\_content=shareClip&utm\\_medium=referral&utm\\_source=pxhere](https://pxhere.com/de/photo/1639058?utm_content=shareClip&utm_medium=referral&utm_source=pxhere)

# The objective

- We want...
  - **one location**, where logs can be accessed and **analysed**
  - to see which logs belong to the same API request  
**(Log Correlation)**
- For log **analysis** we need...
  - to **transform** and **structure** logs
  - to **visualize** and **filter** logs




# Desired dev experience


Documents (102)		Field statistics			Columns 4	Sort fields 1
<input type="checkbox"/>	@timestamp	<input type="checkbox"/> service	<input type="checkbox"/> message	<input type="checkbox"/> error.stack_trace		
<input type="checkbox"/>	Feb 12, 2025 @ 14:48:37.108	-	(node:1) [DEP0044] DeprecationWarning: The 'util.isArray' API is deprecated. Please use 'Array.isArray()' instead.	-		
<input type="checkbox"/>	Feb 11, 2025 @ 15:20:08.844	FileShareBackend	Space with ID 123 not found.	NotFoundError: Space with ID 123 not found. at SpacesService.getSpaceById (/usr/src/app/dist/src/spaces/spaces.service.js:38:19)...		
<input type="checkbox"/>	Feb 11, 2025 @ 15:17:54.866	FileServer	Invalid UUID format. Unexpected input format.	java.lang.IllegalArgumentException: Invalid UUID string: ecdeb5a8-b at java.base/java.util.UUID.fromString1(UUID.java:280) at java.base/java.util.UUID.fromString(UUID.java:258)...		
<input type="checkbox"/>	Feb 11, 2025 @ 15:17:54.811	FileServer	Completed initialization in 1 ms	-		
<input type="checkbox"/>	Feb 11, 2025 @ 15:17:54.810	FileServer	Initializing Servlet 'dispatcherServlet'	-		
<input type="checkbox"/>	Feb 11, 2025 @ 15:17:54.809	FileServer	Initializing Spring DispatcherServlet 'dispatcherServlet'	-		
<input type="checkbox"/>	Feb 11, 2025 @ 15:16:00.420	-	[winston] Unknown logger level: Nest application successfully started	-		

# The elastic stack

# Elastic stack workflow



# Elastic stack layers





# Filebeat


- Takes care of **log collection** and **transformation**
- **Log collection:** Filebeat gathers every log from every microservice
- **Transformation:** Filebeat can perform basic transformations like decoding json or basic filtering



# Filebeat logs

```
{
  "ms": 60122,
  "memstats": {
    "gc_next": 4194304,
    "memory_alloc": 2135984,
    "memory_total": 3656896,
    "rss": 36864
  },
  "filebeat": {
    "harvester": {
      "open_files": 0,
      "running": 0
    },
    "libbeat": {
      "config": {
        "module": {
          "running": 0
        },
        "pipeline": {
          "clients": 0,
          "events": {
            "active": 0
          }
        },
        "registrar": {
          "states": {
            "current": 0
          },
          "xpack": {
            "monitoring": {
              "pipeline": {
                "events": {
                  "published": 3,
                  "total": 3,
                  "queue": {
                    "acked": 3
                  }
                }
              }
            }
          }
        }
      }
    }
  },
  "timestamp": "2018-03-20T02:21:08.935-0700",
  "level": "INFO",
  "source": "log/log.go:124",
  "message": "Non-zero metrics in the last 30s",
  "monitoring": {
    "metrics": {
      "beat": {
        "cpu": {
          "system": {
            "ticks": 296,
            "time": 296
          },
          "total": {
            "ticks": 389,
            "time": 389,
            "value": 389
          },
          "user": {
            "ticks": 93,
            "time": 93
          },
          "info": {
            "ephemeral_id": "b4919c64-bbfb-4b33-be10-4f1ad23d06d6",
            "uptime": {
              "ms": 90120
            },
            "memstats": {
              "gc_next": 4194304,
              "memory_alloc": 2462368,
              "memory_total": 3983280,
              "rss": 176128
            },
            "filebeat": {
              "harvester": {
                "open_files": 0,
                "running": 0
              },
              "libbeat": {
                "config": {
                  "module": {
                    "running": 0
                  },
                  "pipeline": {
                    "clients": 0,
                    "events": {
                      "active": 0
                    }
                  },
                  "registrar": {
                    "states": {
                      "current": 0
                    },
                    "xpack": {
                      "monitoring": {
                        "pipeline": {
                          "events": {
                            "published": 3,
                            "total": 3,
                            "queue": {
                              "acked": 3
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  },
  "timestamp": "2018-03-20T02:21:38.941-0700",
  "level": "INFO",
  "source": "log/log.go:124",
  "message": "Non-zero metrics in the last 30s",
  "monitoring": {
    "metrics": {
      "beat": {
        "cpu": {
          "system": {
            "ticks": 375,
            "time": 375
          },
          "total": {
            "ticks": 500,
            "time": 500,
            "value": 500
          },
          "user": {
            "ticks": 125,
            "time": 125
          },
          "info": {
            "ephemeral_id": "b4919c64-bbfb-4b33-be10-4f1ad23d06d6",
            "uptime": {
              "ms": 120127
            },
            "memstats": {
              "gc_next": 4194304,
              "memory_alloc": 2792896,
              "memory_total": 4313808,
              "rss": 311296
            },
            "filebeat": {
              "harvester": {
                "open_files": 0,
                "running": 0
              },
              "libbeat": {
                "config": {
                  "module": {
                    "running": 0
                  },
                  "pipeline": {
                    "clients": 0,
                    "events": {
                      "active": 0
                    }
                  },
                  "registrar": {
                    "states": {
                      "current": 0
                    },
                    "xpack": {
                      "monitoring": {
                        "pipeline": {
                          "events": {
                            "published": 3,
                            "total": 3,
                            "queue": {
                              "acked": 3
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  },
  "timestamp": "2018-03-20T02:22:08.948-0700",
  "level": "INFO",
  "source": "log/log.go:124",
  "message": "Non-zero metrics in the last 30s",
  "monitoring": {
    "metrics": {
      "beat": {
        "cpu": {
          "system": {
            "ticks": 390,
            "time": 390
          },
          "total": {
            "ticks": 530,
            "time": 530,
            "value": 530
          },
          "user": {
            "ticks": 140,
            "time": 140
          },
          "info": {
            "ephemeral_id": "b4919c64-bbfb-4b33-be10-4f1ad23d06d6",
            "uptime": {
              "ms": 150133
            },
            "memstats": {
              "gc_next": 4194304,
              "memory_alloc": 1776952,
              "memory_total": 4666008,
              "rss": 86016
            },
            "filebeat": {
              "harvester": {
                "open_files": 0,
                "running": 0
              },
              "libbeat": {
                "config": {
                  "module": {
                    "running": 0
                  },
                  "pipeline": {
                    "clients": 0,
                    "events": {
                      "active": 0
                    }
                  },
                  "registrar": {
                    "states": {
                      "current": 0
                    },
                    "xpack": {
                      "monitoring": {
                        "pipeline": {
                          "events": {
                            "published": 3,
                            "total": 3,
                            "queue": {
                              "acked": 3
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  },
  "timestamp": "2018-03-20T02:22:38.949-0700",
  "level": "INFO",
  "source": "log/log.go:124",
  "message": "Non-zero metrics in the last 30s",
  "monitoring": {
    "metrics": {
      "beat": {
        "cpu": {
          "system": {
            "ticks": 421,
            "time": 421
          },
          "total": {
            "ticks": 608,
            "time": 608,
            "value": 608
          },
          "user": {
            "ticks": 187,
            "time": 187
          },
          "info": {
            "ephemeral_id": "b4919c64-bbfb-4b33-be10-4f1ad23d06d6",
            "uptime": {
              "ms": 180134
            },
            "memstats": {
              "gc_next": 4194304,
              "memory_alloc": 2107416,
              "memory_total": 4996472,
              "rss": 73728
            },
            "filebeat": {
              "harvester": {
                "open_files": 0,
                "running": 0
              },
              "libbeat": {
                "config": {
                  "module": {
                    "running": 0
                  },
                  "pipeline": {
                    "clients": 0,
                    "events": {
                      "active": 0
                    }
                  },
                  "registrar": {
                    "states": {
                      "current": 0
                    },
                    "xpack": {
                      "monitoring": {
                        "pipeline": {
                          "events": {
                            "published": 3,
                            "total": 3,
                            "queue": {
                              "acked": 3
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  },
  "timestamp": "2018-03-20T02:23:08.938-0700",
  "level": "INFO",
  "source": "log/log.go:124",
  "message": "Non-zero metrics in the last 30s",
  "monitoring": {
    "metrics": {
      "beat": {
        "cpu": {
          "system": {
            "ticks": 500,
            "time": 500
          },
          "total": {
            "ticks": 734,
            "time": 734,
            "value": 734
          },
          "user": {
            "ticks": 234,
            "time": 234
          },
          "info": {
            "ephemeral_id": "b4919c64-bbfb-4b33-be10-4f1ad23d06d6",
            "uptime": {
              "ms": 210123
            },
            "memstats": {
              "gc_next": 4194304,
              "memory_alloc": 2434952,
              "memory_total": 5324008,
              "rss": 49152
            },
            "filebeat": {
              "harvester": {
                "open_files": 0,
                "running": 0
              },
              "libbeat": {
                "config": {
                  "module": {
                    "running": 0
                  },
                  "pipeline": {
                    "clients": 0,
                    "events": {
                      "active": 0
                    }
                  },
                  "registrar": {
                    "states": {
                      "current": 0
                    },
                    "xpack": {
                      "monitoring": {
                        "pipeline": {
                          "events": {
                            "published": 3,
                            "total": 3,
                            "queue": {
                              "acked": 3
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  },
  "timestamp": "2018-03-20T02:23:38.934-0700",
  "level": "INFO",
  "source": "log/log.go:124",
  "message": "Non-zero metrics in the last 30s",
  "monitoring": {
    "metrics": {
      "beat": {
        "cpu": {
          "system": {
            "ticks": 531,
            "time": 531
          },
          "total": {
            "ticks": 796,
            "time": 796,
            "value": 796
          },
          "user": {
            "ticks": 265,
            "time": 265
          },
          "info": {
            "ephemeral_id": "b4919c64-bbfb-4b33-be10-4f1ad23d06d6",
            "uptime": {
              "ms": 240119
            },
            "memstats": {
              "gc_next": 4194304,
              "memory_alloc": 2766520,
              "memory_total": 5655576,
              "rss": 32768
            },
            "filebeat": {
              "harvester": {
                "open_files": 0,
                "running": 0
              },
              "libbeat": {
                "config": {
                  "module": {
                    "running": 0
                  },
                  "pipeline": {
                    "clients": 0,
                    "events": {
                      "active": 0
                    }
                  },
                  "registrar": {
                    "states": {
                      "current": 0
                    },
                    "xpack": {
                      "monitoring": {
                        "pipeline": {
                          "events": {
                            "published": 3,
                            "total": 3,
                            "queue": {
                              "acked": 3
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  },
  "timestamp": "2018-03-20T02:24:08.945-0700",
  "level": "INFO",
  "source": "log/log.go:124",
  "message": "Non-zero metrics in the last 30s",
  "monitoring": {
    "metrics": {
      "beat": {
        "cpu": {
          "system": {
            "ticks": 546,
            "time": 546
          },
          "total": {
            "ticks": 827,
            "time": 827,
            "value": 827
          },
          "user": {
            "ticks": 281,
            "time": 281
          },
          "info": {
            "ephemeral_id": "b4919c64-bbfb-4b33-be10-4f1ad23d06d6",
            "uptime": {
              "ms": 270131
            },
            "memstats": {
              "gc_next": 4194304,
              "memory_alloc": 1715464,
              "memory_total": 5997312,
              "rss": -860160
            },
            "filebeat": {
              "harvester": {
                "open_files": 0,
                "running": 0
              },
              "libbeat": {
                "config": {
                  "module": {
                    "running": 0
                  },
                  "pipeline": {
                    "clients": 0,
                    "events": {
                      "active": 0
                    }
                  },
                  "registrar": {
                    "states": {
                      "current": 0
                    },
                    "xpack": {
                      "monitoring": {
                        "pipeline": {
                          "events": {
                            "published": 3,
                            "total": 3,
                            "queue": {
                              "acked": 3
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  },
  "timestamp": "2018-03-20T02:24:38.940-0700",
  "level": "INFO",
  "source": "log/log.go:124",
  "message": "Non-zero metrics in the last 30s",
  "monitoring": {
    "metrics": {
      "beat": {
        "cpu": {
          "system": {
            "ticks": 625,
            "time": 625
          },
          "total": {
            "ticks": 968,
            "time": 968,
            "value": 968
          },
          "user": {
            "ticks": 343,
            "time": 343
          },
          "info": {
            "ephemeral_id": "b4919c64-bbfb-4b33-be10-4f1ad23d06d6",
            "uptime": {
              "ms": 300125
            },
            "memstats": {
              "gc_next": 4194304,
              "memory_alloc": 2054664,
              "memory_total": 6336512,
              "rss": 106496
            },
            "filebeat": {
              "harvester": {
                "open_files": 0,
                "running": 0
              },
              "libbeat": {
                "config": {
                  "module": {
                    "running": 0
                  },
                  "pipeline": {
                    "clients": 0,
                    "events": {
                      "active": 0
                    }
                  },
                  "registrar": {
                    "states": {
                      "current": 0
                    },
                    "xpack": {
                      "monitoring": {
                        "pipeline": {
                          "events": {
                            "published": 3,
                            "total": 3,
                            "queue": {
                              "acked": 3
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  }
}
```

# Elastic stack layers





# Elasticsearch

- Takes care of **log storage**, **search** and **analysation**
- **Log storage**: Elasticsearch stores logs for performance reasons and log persistence
- **Search**: Elasticsearch uses a specific data model called indices, which optimizes log filtering and searching
- **Analysation**: Faster filtering and aggregation of logs enables a faster analysation of logs



# Elasticsearch logs

Console

Shell History Config

```
1 # Example for creating index and search operation
2
3
4
5 # create an index
6 put /person-index
7
8
9
10 # Add document to exampleIndex
11 POST /person-index/_doc
12 {
13   "id": "12345",
14   "name": "Hans-Peter",
15   "age": "65",
16   "profession": "Architect"
17 }
18
19 # Perform a search in /person-index
20 GET /person-index/_search?q="Hans-Peter"
21
22
```


Export requests Import requests

1 {
2 "took": 6,
3 "timed\_out": false,
4 "\_shards": {
5 "total": 1,
6 "successful": 1,
7 "skipped": 0,
8 "failed": 0
9 },
10 "hits": {
11 "total": {
12 "value": 1,
13 "relation": "eq"
14 },
15 "max\_score": 0.5753642,
16 "hits": [
17 {
18 "\_index": "person-index",
19 "\_id": "x4L4jpUB7S\_SArrAnMsr",
20 "\_score": 0.5753642,
21 "\_source": {
22 "id": "12345",
23 "name": "Hans-Peter",
24 "age": "65",
25 "profession": "Architect"
26 }
27 }
28 ]
29 }
30 }

Clear this output

200 - OK 65 ms

# Elastic stack layers




# Logstash

- Can be used **instead** or **together** with filebeat
  - Instead: Takes care of log **collection** and **transformation**
  - Together: **Filebeat** takes care of **log collection**, **logstash** takes care of **log transformation**
- **More options** than filebeat but needs **more resources** as well
- Use logstash for **complexity**, use filebeat for **performance**
- Use them together if you need a lightweight log collector but more complex log transformations

# Filebeat vs Logstash

Feature	Filebeat	Logstash
<b>Type</b>	Lightweight log shipper	Heavyweight data pipeline
<b>Resource Consumption</b>	Very low	Higher (CPU and RAM intensive)
<b>Data Sources (Collecting)</b>	Reads logs from files, JournalD, Syslog, Docker	Supports more sources: Databases, APIs, Beats, TCP, UDP
<b>Data Processing (Transforming)</b>	Simple (JSON decoding, basic filtering)	Advanced (Mutations, GeoIP, DNS resolution, aggregations)


# Elastic stack layers



# ■ Not using a log collector

- You can send logs directly to elasticsearch (e.g logger configuration)
- Simpler architecture → easier maintenance and setup
- Better performance
- Own implementations for collecting and transforming logs
- No log caching in case of connection issues with Elasticsearch

# Elastic stack layers




- Powerful UI, which takes care of log **visualisation** and **management**
- **Visualisation:** Kibana dashboard provides multiple visualisation options from charts over maps and more
- **Management:** Because kibana works as UI for elasticsearch, it has many log managing functionalities like index management or index lifecycle management



# Kibana dashboards

- kibana
- Discover
- Visualize
- Dashboard
- Timeline
- APM
- Dev Tools
- Management

Picture came from a blog, if we want to publish this presentation we may need to replace this picture



# Elastic stack layer options

Generate and format logs	Collect logs and transform them	Store, search and analyse logs	Visualize and manage logs
Microservices	Filebeat	Elasticsearch	Kibana
Microservices	Logstash	Elasticsearch	Kibana
Microservices	Filebeat Logstash	Elasticsearch	Kibana
Microservices		Elasticsearch	Kibana

Elastic stack

# Alternatives

# Alternatives

- FluentD/Promtail ⇒ Loki ⇒ Grafana
  - Lightweight version of the elastic stack
  - Uses less resources
  - Easier to implement and run
  - Less powerful
- Cloud based alternatives
  - Datadog
  - New Relic
  - Azure Monitor
- Database based alternatives
  - Redash
  - Metabase

# Grafana Example



Source: [https://commons.wikimedia.org/wiki/File:Grafana\\_dashboard.png](https://commons.wikimedia.org/wiki/File:Grafana_dashboard.png)

# Conclusion

# ■ When to use elastic stack

- **Elastic stack checklist:**
  - Complex systems/applications
  - High log flow
  - Many microservices or complex Microservice architecture
  - Demand for log visualisation and/or management
  - High demand on system stability and reliability
- There is **no need** for elastic stack if...
  - Server resources are scarce
  - Not a single point on the **elastic stack checklist** is fulfilled

# Summary

- **The Problem:** Logs are scattered over multiple locations and do not possess a clean structure
- **The Solution:** Collect and structure logs so they are easier to access and read
- **Elastic Stack:** Consisting of three components
  - Filebeat/Logstash: Collects and Transforms logs
  - Elasticsearch: stores, searches and analyses logs
  - Kibana: Visualizes and manages logs
- **Alternatives:**
  - Grafana stack
  - Cloud based, database based



# Thank you!

PowMio

Alter Schlachthof 33  
76131 Karlsruhe

[www.powmio.com](http://www.powmio.com)



[contact@powmio.com](mailto:contact@powmio.com)